



Keyboard
Optional

TOUGHBOOK G2

- Innovative modular design with three expansion bay areas including a new quick-release SSD¹
- Backward compatible with most TOUGHBOOK G1 and 20 docks
- Infrared webcam and Windows Hello enables biometric user authentication
- Quick-release SSD¹ expansion with 512GB or 1TB OPAL SSD¹
- Optional bridge battery enables hot-swap battery replacement for continuous use

10" TABLET EASILY CONVERTS TO A LAPTOP WITH OPTIONAL KEYBOARD.

Panasonic has pioneered the TOUGHBOOK G2, a groundbreaking modular product design that has three expansion areas offering 36 different combinations to deliver the ultimate computing experience. The TOUGHBOOK G2 is the evolution of two top-selling TOUGHBOOK products; it features a 2-in-1 design and keeps backward compatibility to most docks making it possible for customers to upgrade technology while reusing existing mounting hardware. With a keyboard⁵ option and single 18.5 hour battery⁴, it is aimed at professionals who need a rugged, yet versatile, device they can rely on in a wide range of challenging work environments.

MIL-STD-
810H

MIL-STD-
461G

IP65

C1D2
HAZ LOC

ap.connect.panasonic.com

TOUGHBOOK G2 Mk2

Panasonic is constantly enhancing product specifications and accessories. Specifications subject to change without notice. Trademarks are property of their respective owners. All rights reserved.

TOUGHBOOK G2

SOFTWARE

- Windows® 11 Pro 64-bit
- Panasonic Utilities and Recovery Partition

CERTIFICATIONS & DURABILITY

- Designed to meet MIL-STD-810H
- MIL-STD-461G
- IP65
- Optional ANSI hazardous location C1D2 (class 1 div 2) groups ABCD
- Magnesium alloy chassis encased with ABS and elastomer edges
- Built-in dual purpose handle & kickstand (on optional keyboard)
- Solid state drive heater
- Quick-release storage drive
- Removable battery
- Optional rotating hand strap
- Reinforced locking port covers
- Raised bezel for LCD impact protection
- Replaceable screen protector

CPU

- Intel® Core™ i5-1245U vPro™ core processor - 1.6GHz with Turbo Boost up to 4.4GHz, 12MB cache
- Intel® Core™ i7-1270P vPro™ core processor - 2.2GHz with Turbo Boost up to 4.8GHz, 18MB cache

STORAGE & MEMORY

- Factory installed 16GB or 32GB RAM (DDR4)
- 512GB or 1TB OPAL NVMe SSD¹ with heater

DISPLAY & GRAPHICS

- 10.1" WUXGA 1920 x 1200
 - Capacitive gloved multi touch + digitizer
- Direct bonding
- Anti-reflective (AR) screen treatment
- Intel® Iris® Xe Graphics
- Supports up to 5 monitors
- Concealed Mode; Day/Night Mode

AUDIO

- Integrated dual array microphone
- Intel® High Definition Audio compliant
- Integrated 88db speakers (front-facing)
- On-screen and button volume and mute controls

CAMERAS

- 1080p webcam w/privacy cover & dual array mic
 - Infrared with Windows Hello support
- 8MP rear camera with autofocus with LED flash
- Optional thermal camera (FLIR Lepton 3.5)

KEYBOARD & INPUT

- IP55 2 button digitizer pen (right click & erase), stylus holder, tether and cleaning cloth
- Supports glove mode and rain mode
- 8 tablet buttons (6 user-definable including A1/A2/A3 buttons)
- On-screen QWERTY keyboard
- Optional emissive keyboard and rubber keyboard²:
 - Backlit (color-selectable) with 4 adjustable levels
 - 82-key with dedicated Windows® key
 - Pressure-sensitive touchpad with multi touch

INTERFACE

- On the tablet:
 - USB-C 10Gbps (w/PD)
 - USB-A 5Gbps
 - Optional 2nd USB-A 0.5Gbps
 - 1Gbps Ethernet RJ-45
 - Optional True Serial Dongle D-sub 9-pin
 - Dual SIM (Nano-SIM 4FF x1, eSIM x1)
- On the optional keyboard:
 - Docking Connector 24-pin
 - USB-C 5Gbps
 - USB-A 5Gbps

WIRELESS

- Optional (Band 14 EM7421) 4G LTE-A multi carrier w/satellite GPS
- Optional dedicated GPS (u-blox NEO M8N)
- Dual high-gain antenna pass-through
- Intel® Wi-Fi 6 AX201
- Bluetooth® v5.1 (Class 1)
- Airplane mode Fn key (on optional keyboard)

SECURITY FEATURES

- Intel® Hardware Shield
 - Secured-core PC
 - TPM v.2.0
 - NIST BIOS compliant
 - Persistence® technology by Absolute embedded in BIOS
- Kensington cable lock slots x2 (on tablet and optional keyboard)
- Optional insertable SmartCard CAC reader³
- Optional contactless SmartCard CAC reader³
- 13.56MHz (ISO 14443 A/B compliant)

POWER⁴

- Li-Ion battery:
 - 18.5 hours
 - 10.8V, 6300mAh
- Optional bridge battery: 1 minute hot swap time
- Battery charging time: 3 hours
- AC Adapter: AC 100V-240V 50/60Hz, Auto Sensing/Switching worldwide power supply

DIMENSIONS & WEIGHT

- 11.0" x 7.4" x 1.1" (tablet only)
- 2.9 lbs. (4.9 lbs. with optional keyboard)

WARRANTY

- 3-year standard warranty, parts and labor

INTEGRATED OPTIONS

- 4G LTE multi carrier with satellite GPS (Band 14 EM7421)
- Dedicated GPS (u-blox NEO-M8N)
- Top Expansion Area: 1D/2D Barcode Reader² (N6603), Thermal Camera, 2nd USB-A, 2nd LAN, True Serial Dongle
- Rear Expansion Area: Insertable SmartCard CAC³ or Contactless SmartCard CAC Reader
- SSD Expansion Area: Choice of 512GB OPAL SSD¹ or 1TB OPAL SSD¹ Quick Release
- Optional emissive keyboard

xPAK's²

- Top Expansion Area
 - Barcode Reader
 - 2nd USB-A
 - 2nd LAN
 - True Serial Dongle
 - Thermal Camera
- Rear Expansion Area³
 - Insertable SmartCard
 - Contactless SmartCard

Please consult your reseller or Panasonic representative to learn more about the TOUGHBOOK G2 and the wide variety of accessories and services offered.

- 1GB = 1,000,000,000 bytes. Total usable memory will be less depending upon actual system configuration.
- Barcode Reader, Thermal Camera, 2nd USB-a, 2nd LAN, True Serial Dongle xPAK's are mutually exclusive.
- Insertable SmartCard CAC Reader and Contactless SmartCard CAC Reader are mutually exclusive
- Battery performance features such as charge time and life span can vary according to the conditions under which the computer and battery are used. Battery operation and recharge times will vary based on many factors, including screen brightness, applications, features, power management, battery conditioning and other customer preferences. Battery testing results from MobileMark 2014 at 150 nit and using no cellular mobile broadband.
- Tablet with keyboard option is 11.3"x9.3"x2.1".

